

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5





Figure 6

LJP 394:



Week: 0 5 10 15 20 25 30 35 40 45 50 55
N: 330 208 206 184 115 158 170 161 150 136 138 122





Figure 7






Figure 9





Figure 10



** p<0.0001

Figure 11






Figure 12



(1) Nominal values


(2) 5 point change considered clinically meaningful

Figure 13




- (1) Nominal values
- (2) 5 point change considered clinically meaningful

Figure 14




(1) 5 point change considered clinically meaningful

Figure 15




(1) 5 point change considered clinically meaningful

Figure 16



(1) 5 point change considered clinically meaningful


Figure 17



(1) 5 point change considered clinically meaningful

p-value (1)


Figure 18



(1) Nominal values

(2) 2.5 point change score considered clinically meaningful


Figure 19



(1) Nominal values


(2) 2.5 point change score considered clinically meaningful

Figure 20




(1) 5 point change considered clinically meaningful

Figure 21




- (1) Nominal values
- (2) 2.5 point change score considered clinically meaningful

Figure 22



(1) 5 point change considered clinically meaningful

Figure 23



(1) 5 point change considered clinically meaningful

Figure 24




Figure 25





Figure 26



(1) 5 point change considered clinically meaningful

Figure 27




Figure 28






Figure 29




(1) 5 point change considered clinically meaningful

Figure 30




(1) 2.5 point change considered clinically meaningful

Figure 31




(1) 5 point change considered clinically meaningful

Figure 32



(1) 2.5 point change score considered clinically meaningful

Figure 33



(1) 2.5 point change score considered clinically meaningful